



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

## Additions to the List of Kansas Lepidoptera.

F. F. CREVECOEUR.

In volume 4 of the Transactions of the Kansas Academy of Science, Doctor Snow listed 503 species of Lepidoptera collected in Kansas. In volume 7 of the Transactions he listed 45 more species, and in the *Kansas University Science Bulletin*, volume 2, No. 4, for November, 1903, he listed 79 additional species. During the nearly thirty years of collecting near my home I had quite a number of species which are not contained in Doctor Snow's lists. Of these there are 176 species which are listed below. These added to the 627 species listed by Doctor Snow make a total of 803 species so far recorded from the state.

After so many years of collecting I was rather surprised last fall when I took several species of insects which I had not collected before. Among these were *Triptogon modesta* and *Limenitis weidemeirii* among the Lepidoptera, besides several others among some of the other orders. While on a visit last fall near Osage City I there collected *Terias mexicana*, *Cirrophanus triangulifer* and *Thyridopteryx ephemeraeformis*, all species new to my collecting, but only the last new to the Kansas list. From this I am convinced there is still much to be done in the way of collecting insects in the different orders which have not been listed from the state, with the possible exception of the Coleoptera, in which Mr. Warren Knaus has done much good work in collecting and recording with such tireless devotion.

### LEPIDOPTERA NEW TO THE KANSAS LIST.

The first numbers refer to Dyar's list of 1902; the numbers following names refer to Smith's list of 1891.

91. *Agraulia vanillæ* Linn. A badly weather-beaten specimen was taken in the fall of the year in my early days of collecting, about 1890. The specimen, as near as I can remember, was identified by Fred Marlatt, of Manhattan.
345. *Thecla edwardsii* Saunders.
393. *Chrysophanus thæ* Bdv.
535. *Euphyes fusca* G. & R. (559.)
772. *Adelocephala Bicolor* Harr. (1378.)
794. *Ctenucha cressonæna* Grt.
- 839a. *Haploa reversa* Stretch. (1026.)
- 839b. *Haploa fulvicosta* Clem. (1028.)
863. *Diacrisia latipennis* Stretch. (1094.)
905. *Ammalo tenera* Hub. (1113.)
968. *Raphia frater* Grt.
975. *Apatela dactylina* Grt. (1521.)
994. *Apatela furcifera* Gn. (1499.)
1003. *Apatela hamamelis* Gn. (1540.)
1037. *Apatela xyliniformis* Gn. (1548.)
1067. *Chytonix palliatricula* Gn.
1117. *Perigea vecors* Gn. (2093.)
1205. *Hadena semicana* Walk. (2060.)

- 1293. *Pyrophila glabella* Morr.
- 1397. *Rhynchagrotis alternata* Grt.
- 1540. *Feltia jaculifera* Gn.
- 1759. *Ufeus plicatus* Grt.
- 1825. *Mamestra goodellii* Grt.
- 1829. *Mamestra renigera* Steph.
- 1962. *Heliophila rubripennis* Grt. & Rob. (2264.)
- 1963. *Heliophila albilinea* Hub. (2266.)
- 2351. *Schinia tertius* Grt.
- 2366a. *Schinia atrites* Grt.
- 2389. *Dasyspoudea lucens* Morr.
- 2469. *Panchrysia purpurigera* Walk. (2575.)
- 2474. *Plusia ærea* Hub.
- 2556. *Anomis erosa* Hub.
- 2568. *Rivula propinqualis* Gn.
- 2605. *Eustrotia synochitis* G. & R. (2903.)
- 2607. *Eustrotia muscosa* Gn. (2906.)
- 2654. *Metoponia perflava* Harvey.
- 2660. *Therasia angustipennis* Grt. (2837.)
- 2696. *Fruva tortricina* Zell. (2858.)
- 2946. *Celiptera frustulum* Cn.
- 3036. *Philometra metonalis* Walk.
- 3039. *Chytolita morbidalis* Gn. (3228.)
- 3048. *Renia flavipunctalis* Geyer.
- 3067. *Bomolocha scutellaris* Grt.
- 3069. *Bomolocha madefactalis* Gn.
- 3142. *Heterocampa bilineata* Pack. (1297.)
- 3162. *Harpyia cinerea* Walk. (1343.)
- 3222. *Heteropacha rileyana* Harv.
- 3225. *Eudeilinea herminiata* Gn.
- 3232. *Dyspteris abortivaria* H.-S.
- 3271. *Tephroclystis implicata* Walk. (3959.)
- 3332. *Euchaeta albovittata* Gn. (3835.)
- 3340. *Hydria undulata* Linn. (3854.)
- 3457. *Petrophora ferrugata* Clerck. (3909.)
- 3469. *Erastria amaturaria* Walk. (3581.)
- 3477. *Deptalia insularia* Gn. (3505.)
- 3494. *Xystrota hepaticaria* Gn. (3510.)
- 3562. *Chlorochlamys phyllinaria* Zell. (3469.)
- 3608. *Orthofidonia vestaliata* Gn. (3596.)
- 3614. *Mellilla inextricata* Walk. (3708.)
- 3623. *Deilinea variolaria* Gn.
- 3653. *Sciagraphia respersata* Hulst. (3618.)
- 3667. *Philobia enotata* Gn. (3607.)
- 3705. *Cymatophora subcessaria* Walk. (3670.)
- 3759. *Catopyrrha coloraria* Fabr. (3730.)
- 3759a. *Catopyrrha olenusaria* Walk. (3730a.)
- 3807. *Lytrosis unitaria* H.-S. (3757.)
- 3916. *Eugonobapta nivosaria* Gn. (3509.)

- 3948. *Gonodontis distycharia* Gn. (3369.)
- 3981. *Metanema inatomaria* Gn.
- 4013. *Sabulodes sulphurata* Pack. (3421.)
- 4016. *Sabulodes lorata* Grt. (3349.)
- 4097a. *Lithacodes laticlavata* Clem. (1200a.)
- 4111. *Lagoa pyxidifera* S. & A.
- 4129. *Harrisina americana* Gn.-Menn.
- 4264. *Glaphria sesquialterialis* Hub. (4160.)
- 4272. *Symphysa eripalis* Grt. (4165.)
- 4273. *Lipocosma sicalis* Walk. (4149.)
- 4275. *Hymenia perspectalis* Hub.
- 4285. *Samea ecclesialis* Gn.
- 4302. *Blepharomastix ranalis* Gn. (4069.)
- 4303. *Blepharomastix magnalis* Gn. (4151.)
- 4321. *Diaphania quadristigmatis* Gn. (3972.)
- 4349. *Loxostege obliteralis* Walk.
- 4354. *Loxostege similalis* Gn.
- 4359. *Loxostege commixtalis* Walk. (4112.)
- 4375. *Loxostege sesquialteralis* Zell. (4027.)
- 4381. *Diasemia roseopennalis* Hulst. (4031.)
- 4400. *Perispasta cæculalis* Zell.
- 4414. *Cindaphia bicoloralis* Gn.
- 4417. *Pyrausta pertextalis* Leder.
- 4426. *Pyrausta orphisalis* Walk.
- 4441. *Pyrausta futilalis* Leder.
- 4448. *Pyrausta phænicealis* Hub. (4012.)
- 4454. *Pyrausta inæqualis* Gn.
- 4462. *Pyrausta volupialis* Grt.
- 4511. *Aglossa cuprealis* Hub.
- 4513. *Hypsopygia costalis* Fabr. (4203.)
- 4518. *Herculea thymetusalis* Walk. (4209.)
- 4573. *Crambus laqueatellus* Clem.
- 4575. *Crambus agitatellus* Clem.
- 4582. *Crambus elegans* Clem.
- 4587. *Crambus ruricolellus* Zell.
- 4601. *Crambus mutabilis* Clem.
- 4607. *Crambus caliginosellus* Clem.
- 4608. *Crambus zeellus* Fernald.
- 4612. *Crambus pexella* Zell. (4541.)
- 4623. *Argyria lacteella* Fabr. (4480.)
- 4652. *Lantaphe platanella* Clem.
- 4700. *Mineola amplexella* Rag.
- 4704. *Mineola indiginella* Zell.
- 4781. *Elasmopalpus lignosellus* Zell.
- 4835. *Euzophera ochrifrontella* Zell.
- 4838. *Vitula edmandsii* Pack.
- . *Honora oblitella* Zell.
- 4890. *Plodia interpunctella* Hub.
- 4911. *Peoria approximella* Walk. (4451.)

4930. *Trichoptilus ochrodactylus* Fish. (4544.)
4935. *Oxyptilus tenuidactylus* Fitch.
4981. *Pterophorus monodactylus* Linn. (4577.)
5015. *Exartema permundanum* Clem.
5017. *Exartema concinnanum* Clem.
5021. *Exartema fasciatanum* Clem.
5024. *Exartema inornatanum* Clem.
5047. *Olethreutes chionosema* Zell.
5079. *Eucosma circulana* Hub. (4847.)
5083. *Eucosma ridingsana* Rob. (4852.)
5101. *Eucosma giganteana* (4872.)
5104. *Eucosma fulminana* Wlsm. (4876.)
5129. *Eucosma strenuana* Walk. (4901.)
5137. *Eucosma matutina* Grt. (4907.)
5141. *Eucosma tripartitana* Zell. (4911.)
5167. *Thiodia aspidiscana* Hub. (4920.)
5202. *Thiodia ochreicostana* Wlsm. (4936.)
5213. *Proteopteryx deludana* Clem.
5219. *Proteoteras æsculanum* Riley.
5269. *Enarmonia prunivora* Walsh. (5008.)
5287. *Ecdytolopha insiticihana* Zell.
5309. *Alceris hastiana* Linn. (4616.)
5339. *Cenopis groteana* Fern.
5344. *Cælostathma discopunctana* Clem. (4717.)
5366. *Archips semiferana* Walk. (4643.)
5400. *Toitrix albicomana* Clem.
5409. *Tortrix osseana* Scop.
5421. *Eulia triferana* Walk. (4661.) Now *Eulia velutinana* Walk.
5446. *Phalonia argenteimitana* Rob. (4750.)
5453. *Phalonia ænotherana* Riley. (4758.)
5503. *Plutella maculipennis* Curtis. (5187.)
5552. *Sitotroga cerealella* Oliv. (5335.)
5564. *Telphusa glandiferella* Zell. (5382.)
5575. *Aristotella roseosuffusella* Clem. (5470.)
5578. *Aristotella rubidella* Clem. (5471.)
5604. *Recurvaria cristatella* Cham. (5346.)
5628. *Gnorimoschema serratipalpella* Cham. (5479.)
5653. *Strobisia iridipennella* Clem.
5657. *Trichotaphe serrativitella* Zell. (5480.)
5678. *Ypsolophus ligulellus* Hub. (5527.)
5711. *Anacamptis agrimoniella* Clem. (5301.)
5756. *Gelechia nigrimaculella* Busck.
5780. *Gelechia ambrosiæella* Cham.
5846. *Cryptolechia cretacea* Zell. (5226.)
5860. *Depressaria argillacea* Wlsm.
5920. *Epicallima argenticinctella* Clem. (5549.)
6099. *Heliodines bella* Cham.
6108. *Scythris eboracensis* Zell. (5748.)
6116. *Scythris trivinctella* Zell. (5756.)
6153. *Mompha circumscriptella* Zell. (5723.)

- 6157. *Mompha eloisella* Clem. (5727.)
- 6360. *Gracillaria negundella* Cham.
- 6362. *Gracillaria stigmatella* Fabr. (5628.)
- 6455. *Argyresthia andereggiella* Dupon.
- 6476. *Xylestia pruniramiella* Clem.
- 6488. *Monopis ferruginella* Hub. (5085.)
- 6503. *Tinea fuscipunctella* Haw.
- 6558. *Adela ridingsella* Clem.
- 6583. *Hypocolpus mortipennellus* Grt. (5050.)

## ADDENDA.

- 4065. *Thyridopteryx ephemeraeformis* Haw. This species was abundant on a box elder tree in the dooryard of E. J. Noble, near Peterton, Kan., early in September, 1920. How it got there the owner of the place did not know.

---

The numbers preceding the names of the species are those under which each species is listed in Barnes and McDunnough's "Check List of the Lepidoptera of Boreal America," 1917. The numbers following the names of each species are those under which it is listed in John B. Smith's "List of Lepidoptera of North America," 1891.

- 150. *Dione vanillæ* Linn. (9.) A badly weathered specimen of this southern butterfly was taken in the fall of the first year of my collecting—1890, I think. It was determined by Fred Marlatt of the Kansas State Agricultural College, to whom it was submitted for identification.
- 363. *Strymon edwardsi* Saunders. (262.)
- 404. *Heodes thæ* Boisduval. (306.)
- 641. *Megistias fusca* Grote & Robinson. (559.)
- 803. *Adelocephala bicolor* Harris. (1378.)
- 834. *Ctenucha cressonana* Grote. (939.)
- 905. *Ammalo tenera* Hubner. (1113.)
- 953. *Diacrisia latipennis* Stretch. (1094.)
- 1032. *Haploa colona* Hbn. (1026.)  
*Haploa colona* form *fulvicosta* Clemens. (1028.)
- 1173. *Schinia tertia* Grt. (2734.)
- 1403. *Feltia subgothica* Haworth. (1714.)
- 1522. *Ufeus plicatus* Grt. (2291.)
- 1588. *Rhynchagrotis alternata* Grt. (1582.)
- 1718. *Polia goodelli* Grt. (1927.)
- 1750. *Polia renigera* Stephens. (1931.)
- 1958. *Neleucania rubripennis* G. & R. (2264.)
- 1959. *Neleucania albilinea* Hbn. (2266.)
- 2241. *Amphipyra glabella* Morrison. (2325.)
- 2327. *Perigea vecors* Guenee. (2093.)
- 2340. *Oligia semicana* Walker. (2060.)
- 2400. *Chytonix palliatricula* Gn. (1573.)
- 2451. *Acronycta hamamelis* Gn. (1540.)
- 2492. *Acronycta dactylina* Grt. (1521.)

- 2499. *Acronycta longa* Gn. (1548.)
- 2764. *Stiriodes perflava* Harvey. (2936.)
- 2894. *Lithacodia synochitis* G. & R. (2903.)
- 2902. *Lithacodia muscosula* Gn. (2906.)
- 2950. *Tarachidia tortricina* Zellner. (2858.)
- 2971. *Conacontia angustipennis* Grt. (2837.)
- 3016. *Baileya ophthalmica* Gn. (1472.)
- 3136. *Cænurgia crassiuscula* Haw. (2940.)
- 3153. *Celiptera frustulum* Gn. (3092.)
- 3276. *Plusia ærea* Hbn. (2578.)
- 3281. *Pseudeva purpurigera* Wlk. (2575.)
- 3289. *Raphia frater* Grt. (1481.)
- 3407. *Anomis erosa* Hbn. (2559.)
- 3434. *Rivula propinqualis* Gn. (3250.)
- 3516. *Philometra metonalis* Wlk. (3217.)
- 3519. *Chytolita morbidalis* Gn. (3228.)
- 3528. *Renia flavipunctalis* Geyer. (3266.)
- 3563. *Bomolocha palparia* Wlk. (3279.)
- 3566. *Bomolocha madefactalis* Gn. (3228.)
- 3644. *Heterocampa bilineata* Packard. (1297.)
- 3671. *Cerura cinerea* Wlk. (1343.)
- 3753. *Heteropacha rileyana* Harv. (1412.)
- 3756. *Eudeilinea herminiata* Gn. (3595.)
- 3819. *Chlorochlamys pyhllinaria* Zell. (3469.)
- 3848. *Xystrota hepaticaria* Gn. (3510.)
- 3913. *Timandra amaturaria* Wlk. (3581.)
- 3914. *Pleuroprucha insularia* Gn. (3505.)
- 3942. *Trichodesia albiovittata* Gn. (3835.)
- 3962. *Dyspteris abortivaria* Herrich-Schæffer. (2485.)
- 3971. *Calocalpe undulata* Linn. (3854.)
- 4039. *Xanthorhæ ferrugata* Clerk. (3909.)
- 4293. *Bapta vestaliata* Gn. (3596.)
- 4360. *Phasiane respersata* Hulst. (3618.)
- 4276. *Eupithecia anticaria* Wlk. (3959.)
- 4293. *Bapta vestaliata* Gn. (3596.)
- 4299. *Mellilla inextricata* Wlk. (3708.)
- 4307. *Cabera variolaria* Gn. (3590.)
- 4331. *Philobia æmulataria* Wlk. (3607.)
- 4360. *Phasiane respersata* Hulst. (3618.)
- 4408. *Itame subcessaria* Wlk. (3670.)
- 4460. *Catopyrrha coloraria* Fabricius. (3730.)  
*Catopyrrha olenusaria* Wlk. (3730a.)
- 4496. *Lytrosis unitaria* H.-S. (3757.)
- 4661. *Eugonobapta nivosaria* Gn. (3509.)
- 4721. *Metanema inatomaria* Gn. (3355.)
- 4757. *Apica distycharia* Gn. (3369.)
- 4763. *Sabulodes arcasaria* Wlk. (3421.)
- 4769. *Sabulodes lorata* Grt. (3349.)

4798. *Thyridopteryx ephemeræformis* Haw. (1220.) Cases containing larvæ of this destructive moth were abundant on a box elder tree near the home of E. J. Noble, Osage city, Kan., early in September, 1920. Instruction was given Mr. Noble how to rid his premises of the pest.
4842. *Lithacodes fasciola* H.-S. (1200a.)
4863. *Lagoa pyxidifera* Abbott & Smith. (1172.)
4881. *Harrisina americana* Guerin-Meneville. (927.)
4900. *Glaphyria sesquialteralis* Hbn. (4160.)
4912. *Egesta eripalis* Grt. (4165.)
4913. *Lipocosma sicalis* Wlk. (4149.)
4919. *Hymenia perspectalis* Hbn. (3982.)
4931. *Samea ecclesialis* Gn. (4185.)
4954. *Blepharomastix magnalis* Gn. (4151.)
4955. *Blepharomastix ranalis* Gn. (4069.)
4978. *Diaphania quadristigmalis* Gn. (3972.)
5020. *Loxostege obliteralis* Wlk. (4104.)
5025. *Loxostege similalis* Gn. (4092.)
5032. *Loxostege commixtalalis* Wlk. (4112.)
5046. *Loxostege sesquialteralis* Zell. (4027.)
5053. *Diasemia roseopennalis* Hulst. (4031.)
5087. *Perispasta cæculalis* Zell. (4199.)
5103. *Cindaphia bicoloralis* Gn. (3990.)
5111. *Pyrausta pertextalis* Lederer. (4071.)
5134. *Pyrausta futilalis* Led. (4053.)
5145. *Pyrausta phænicealis* Hbn. (4012.)
5152. *Pyrausta subsequalis* Gn. (4005.)
5153. *Pyrausta orphisalis* Wlk. (4004.)
5163. *Pyrausta volupialis* Grt. (4009.)
5249. *Aglossa cuprealis* Hbn. (4212.)
5259. *Hypsopygia costalis* Fabr. (4203.)
5264. *Herculia thymetusalis* Wlk. (4209.)
5355. *Crambus agitatellus* Clem. (4507.)
5358. *Crambus laqueatellus* Clem. (4505.)
5366. *Crambus elegans* Clem. (4526.)
5371. *Crambus ruricolellus* Zell. (4523.)
5384. *Crambus mutabilis* Clem. (4537.)
5397. *Crambus caliginosellus* Clem. (4533.)
5398. *Crambus zeellus* Fernald. (4534.)
5403. *Thaumatopsis pezellus* Zell. (4541.)
5422. *Argyria lacteella* Fabr. (4480.)
5489. *Tetralopha militella* Zell. (4226.)
5549. *Mineola amplexella* Ragonot. (4275.)
5553. *Mineola indiginella* Zell. (4278.)
5657. *Elasmopalpus lignosellus* Zell. (4343.)
5721. *Euzophora ochrifrontella* Zell. (4380.)
5726. *Vitula edmandsi* Pack. (4383.)
5807. *Plodia interpunctella* Hbn. (4426.)
5835. *Peoria approximella* Wlk. (4451.)



- 5854. *Trichoptilus congrualis* Wlk. (4544.)
- 5860. *Oxyptilus tenuidactylus* Fitch. (4597.)
- 5942. *Pterophorus monodactylus* Linn. (4577.)
- 6008. *Mompha eloisella* Clem. (5727.)
- 6009. *Mompha circumscriptella* Zell. (5723.)
- 6038. *Sitotroga cerealella* Olivier. (5335.)
- 6041. *Aristotelia roseosuffusella* Clem. (5470.)
- 6044. *Aristotelia rubidella* Chambers. (5471.)
- 6084. *Telphusa glandiferella* Zell. (5382.)
- 6106. *Gnorimoschema serratipalpella* Cham. (5479.)
- 6147. *Recurvaria cristatella* Cham. (5346.)
- 6199. *Anacampsis agrimoniella* Clem. (5301.)
- 6266. *Gelechia nigrimaculella* Busek. (5418.)
- 6306. *Gelechia ambrosiæella* Cham. (5308.)
- 6357. *Trichotaphe serraticitella* Zell. (5480.)
- 6380. *Dichomeris liquella* Hbn. (5527.)
- 6399. *Strobisia irridipennella* Clem. (5583.)
- 6417. *Cryptolechia cretacea* Zell. (5226.)
- 6459. *Agnopteryx argillacea* Walsingham. (5252.)
- 6490. *Epicallima argenticinctella* Clem. (5549.)
- 6798. *Exartema permundanum* Clem. (4788.)
- 6800. *Exartema concinnum* Clem. (4790.)
- 6804. *Exartema fasciatum* Clem. (4794.)
- 6807. *Exartema inornatum* Clem. (4797.)
- 6847. *Argyroproce chionosema* Zell. (4821.)
- 6894. *Eucosma ridingsana* Robinson. (4852.)
- 6901. *Eucosma circulana* Hbn. (4847.)
- 6937. *Eucosma fulminana* Wlshm. (4876.)
- 6962. *Eucosma matutina* Grt. (4907.)
- 6981. *Eucosma strenuana* Wlk. (4901.)
- 7021. *Eucosma giganteana* Riley. (4872.)
- 7025. *Eucosma tripartitana* Zell. (4911.)
- 7055. *Eucosma aspidiscana* Hbn. (4920.)
- 7057. *Eucosma ochreicostana* Wlshm. (4936.)
- 7116. *Proteopteryx dehudana* Clem. (4958.)
- 7130. *Proteoteras æsculana* Riley. (4962.)
- 7208. *Laspeyresia prunivora* Wlshm. (5008.)
- 7253. *Ecdytolopha insiticiana* Zell. (5022.)
- 7281. *Coelostathma discopunctana* Clem. (4717.)
- 7290. *Sparganothis groteana* Fern. (4708.)
- 7354. *Cacæcia semiferana* Wlk. (4643.)
- 7390. *Eulia velutiana* Wlk. (4661.)
- 7401. *Cnephasia osseana* Scopoli. (4667.)
- 7409. *Argyrotoxa albicomana* Clem. (4680.)
- 7439. *Peronea hastiana* Linn. (4616.)
- 7467. *Phalonia argenticinctana* Rob. (4750.)
- 7487. *Phalonia ænotherana* Riley. (4758.)
- 7562. *Heliodines bella* Cham. (5762.)
- 7683. *Plutella maculipennis* Curtis. (5187.)

7695. *Argyresthia oreasella* Clem. (5161.)  
 8040. *Gracillaria negundella* Cham. (5624.)  
 8061. *Gracillaria purpuriella* Cham. (5628.)  
 8080. *Scythris eboracensis* Zell. (5748.)  
 8088. *Scythris trivinctella* Zell. (5756.)  
 8169. *Acrolophus mortipennellus* Grt. (5050.)  
 8234. *Xylestia pruniramiella* Clem. (5070.)  
 8242. *Monopis crocicapitella* (5085.)  
 8249. *Tinea fuscipunctella* Haw. (5089.)  
 8449. *Adela ridingsella* Clem. (5145.)

### Additions to the List of Kansas Hymenoptera.

F. F. CREVECOEUR.

In volume 16 of the Transactions of the Kansas Academy of Science is to be found a list of Hymenoptera collected in Kansas, compiled by Mr. J. C. Bridwell, of Baldwin, Kan. The list, which is to be found on page 203 of said volume and which contains 750 species, subspecies and varieties, Mr. Bridwell admits lacks much of being complete, as he had not had the lists of Kansas Hymenoptera in the collections of the State University, in the National Museum and in the collections of the American Entomological Society.

In my collection of insects, now in the museum of Ottawa University, are many species not contained in Mr. Bridwell's list, a list of which I herewith append. In this list are 269 species and subspecies, of which 70 have not been specifically identified, and of which some may have been included in Mr. Bridwell's list.

*Abia kennicottii* Nort.  
*Acrolyta aletiae* Ashm.  
*Adexionia* sp.  
*Ænigmostoma* sp.  
*Agenia bombycina* Cr.  
*Agenia accepta* Cr.  
*Agathis tibiator* Prov.  
*Alyson guidardi* Prov.  
*Alyson* sp.  
*Amblyteles stadaconensis* Cr.  
*Ammophila arvensis* St. Farg.  
*Ammophila vulgaris*.  
*Amolyaspis occidentalis* Ashm.  
*Anastatus mirabilis* Walsh.  
*Andrena* sp.  
*Anomalon unicolor* Prov.  
*Anomalon* sp.  
*Antistrophus silphius* Gill.  
*Apanteles parorgyiae* Ashm.  
*Aphænogaster tenesseens* Mayr.  
*Arachnophaga* sp.

*Ascogaster* sp.  
*Augochlora* sp.  
*Bembex spinolæ* Riley.  
*Blacus longicaudus* Prov.  
*Bracon brachyurus* Ashm.  
*Bracon dorsator* Say.  
*Bracon euurus* Ashm.  
*Bracon negator* Say.  
*Bracon negosiocutris* Ashm.  
*Bracon nigropectus* Prov.  
*Bracon rugiceps*.  
*Bracon trifolii* Ashm.  
*Cacus æcanthi* Riley.  
*Cænophanes aciculatus* Ashm.  
*Cænophanes prodoxi* Riley.  
*Cænophanes* sp.  
*Camponotus castaneus* Latr.  
*Camponotus marginatus* Latr.  
*Camponotus* sp.  
*Campoplex semirufus* Prov.  
*Campoplex viticollis* Nort.